

US006326021B1

(12) United States Patent

Schwendeman et al.

(10) Patent No.: US 6,326,021 B1

(45) **Date of Patent:** Dec. 4, 2001

(54) BIOCOMPATIBLE POLYMERIC DELIVERY SYSTEMS HAVING FUNCTIONAL GROUPS ATTACHED TO THE SURFACE THEREOF

- (75) Inventors: **Steven Schwendeman; Chengji Cui,** both of Ann Arbor, MI (US)
 - oom of this thoof, in (es)
- (73) Assignee: The Ohio State University Research Foundation, Columbus, OH (US)
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35

U.S.C. 154(b) by 0 days.

- (21) Appl. No.: 09/595,649
- (22) Filed: Jun. 16, 2000

Related U.S. Application Data

- (60) Provisional application No. 60/139,950, filed on Jun. 18, 1999.
- (51) **Int. Cl.**⁷ **A61F 2/00**; A61K 9/14; A61K 9/50; A61K 9/70

(56) References Cited

U.S. PATENT DOCUMENTS

6,004,573 * 12/1999 Rathi et al. 424/426

OTHER PUBLICATIONS

"Nanoparticle Dna Carrier with Poly(L-lysine) Grafted Polysaccharide Copolymer and Poly(D,L-lactic acid)" by Maruyama, et al., *Bioconjugate Chem.* 1997, 8, 735–742.

"Resorbable polymeric microspheres for drug delivery—production and simultaneous surface modification using PEO-PPO surfactants" by Coombes, et al., *Biomaterials*, vol. 15, No. 9, 1994, pp. 673–680.

* cited by examiner

Primary Examiner—Thurman K. Page Assistant Examiner—Blessing Fubara

(74) Attorney, Agent, or Firm—Calfee, Halter & Griswold LLP

(57) ABSTRACT

A method for making biocompatible polymeric matrices, particularly polymeric particles, that have functional groups on the surface thereof are provided. The method comprises: providing a biocompatible base polymer; providing a surface-active, functional polymer, hereinafter referred to as an "SAFP"; entangling chains of the base polymer with chains of the SAFP, both of which are in a mobile state; and then demobilizing the base polymer chains to form a polymeric particle or matrix having a specific geometry. Polymeric particles having functional groups on the surface thereof are also provided. The particles comprise a biocompatible base polymer and an SAFP. The SAFP comprises one or more interactive regions for physically cross-linking with the base polymer, and one or more hydrophilic regions. The particles have a core region and an outer region having a an outer surface. The core region contains a plurality of biocompatible base polymer chains. The outer region of the particle contains a plurality of biocompatible base polymer chains and the interactive regions of the SAFP. The hydrophilic functional region or regions of the SAFP chains extend from the surface of the particle when the particle is placed in an aqueous solution.

20 Claims, 5 Drawing Sheets

